

REACH - Chemical Regulation

REACH, Regulation No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals.

REACH requires that sufficient information on Substances of Very High Concern (SVHC) contained in articles in concentration above 0.1% weight by weight (w/w) is communicated to allow the safe use of the product.

The following tables cover 201 REACH SVHCs which were updated by ECHA on 16th July 2019. (<http://echa.europa.eu/candidate-list-table>)

The following products contain a SVHC in a concentration above 0.1% w/w.

Product	Description	Substance Name	EC No.	Information on safe use
BP71GA3	Glossy A3 Photo Paper	Boric acid	233-139-2	Do not allow to come into contact with mouth.
BP71GA4	Glossy A4 Photo Paper	Boric acid	233-139-2	Do not allow to come into contact with mouth.
BP71GP20 BP71GP50	Glossy 10cm x 15cm Photo Paper	Boric acid	233-139-2	Do not allow to come into contact with mouth.
DK Labels	Adhesive layer of DK-11221, DK-11218, DK-44205, DK-44605, DK-11219, DK-22223 Labels	Nonylphenol, ethoxylated	500-024-6	Do not allow to come into contact with mouth.
		Nonylphenol, branched, ethoxylated	500-209-1	
BA-9000	BATTERY FOR PT-9600	Bis (2-ethylhexyl)phthalate (DEHP)	204-211-0	Do not keep the battery cover open.
Carton boxes	AiRScouter 300 series	Tetraboron disodium heptaoxide, hydrate	235-541-3	Do not allow to come into contact with mouth.
Carton box for specific toner cartridges (*1)	Outer Carton for toner cartridges	Disodium tetraborate decahydrate	215-540-4	Do not allow to come into contact with mouth.
Carton box for Supply Inkjet head unit (*2)	Inner carton for protecting head unit	Disodium tetraborate decahydrate	215-540-4	Do not allow to come into contact with mouth.

*1:

TN-329C P, TN-329BK P, TN-329M P, TN-329Y P, TN-900C P, TN-900BK P, TN-900M P, TN-900Y P, TN-900C MPS, TN-900BK MPS, TN-900M MPS, TN-900Y MPS

*2:

PRINT HEAD SUPPLY UNIT M17HT (D00STP001), PRINT HEAD SUPPLY UNIT S13(LK6584001)

The items below may contain substances above 0.1%(w/w) at an individual component level but not above 0.1%(w/w) of the total article weight.

Item	Product	Substance Name	EC No.	Information on safe use
Inkjet head actuator	All of the inkjet "All in One" printers	Lead titanium zirconium oxide	235-727-4	Do not break inkjet head units
Flexible Flat cable of thermal head	MW-145BT	1,6,7,8,9,14,15,16,17,17,18,18 - Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM)	236-948-9	Do not break to open device cover
HD cable	AiRScouter WD-350	1,6,7,8,9,14,15,16,17,17,18,18 - Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM)	236-948-9	Do not break cable cover
Solenoid for print mechanism	See the model names in the following footnote (*3)	1,6,7,8,9,14,15,16,17,17,18,18 - Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM)	236-948-9	Do not break to open device cover
Copper alloy Plugs for Power Cord	All Printers, All in One printers, Fax machines, P Touch products, QL Products, Stamp Creator and PocketJet	Lead	231-100-4	Keep out of the reach of children.
Copper alloy Motor Gear	All Printers, All in One printers, Fax machines, P Touch products, QL Products, Stamp Creator and PocketJet	Lead	231-100-4	Keep out of the reach of children.
Copper alloy Motor Sleeve	All Printers, All in One printers, Fax machines, P Touch products, QL Products, Stamp Creator and PocketJet	Lead	231-100-4	Keep out of the reach of children.
Parts containing iron shaft	All Printers, All in One printers, Fax machines, P Touch products, QL Products, Stamp Creator and PocketJet	Lead	231-100-4	Keep out of the reach of children.
Liquid Crystal Display unit	See the model names in the following footnote (*4)	Tetraboron disodium heptaoxide, hydrate	235-541-3	Do not break the Liquid Crystal Display Panel.
Liquid Crystal Display Cover	TP-M5000N "TapeCreator"	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	247-384-8	Do not break the Liquid Crystal Display Panel.
Parts containing Silicone rubber or foam	See the model names in the following footnote (*5)	Octamethylcyclotetrasiloxane (D4) Decamethylcyclopentasiloxane (D5) Dodecamethylcyclohexasiloxane (D6)	556-67-2 541-02-6 540-97-6	Keep out of the reach of children.

*3:

MFC-L3770CDW, DCP-1622WE, DCP-1623WE, DCP-1610W, DCP-1610WE, DCP-1612W, DCP-1612WE, DCP-1610WVB, DCP-1612WVB, MFC-1910W, MFC-1910WE, HL-1210W, HL-1210WE, HL-1212W, HL-

1212WE, HL-1210WVB, HL-1212WVB, HL-1222WE, HL-1223WE, HL-1110, HL-1110E, HL-1112, HL-1112E, DCP-1510, DCP-1510E, DCP-1512, DCP-1512E, MFC-1810, MFC-1810E

*4:

ADS-1600W, DCP-J552DW, DCP-J752DW, MFC-J650DW, MFC-J870DW, MFC-J6520DW, MFC-J6720DW, MFC-L2740DW, MFC-L2720DW, MFC-J491DW, MFC-J775DW, MFC-J480DW

*5:

MW-145BT, DCP-J100, DCP-J105, DCP-L5500DN, DCP-L6600DW, DCP-T300, DCP-T500W, DCP-T700W, FAX8360P, HL-L5000D, HL-L5050DN, HL-L5100DN, HL-L5100DNT, HL-L5200DW, HL-L5200DWT, HL-L6250DN, HL-L6300DW, HL-L6300DWT, HL-L6400DW, HL-L6400DWT, HL-L6450DW, MFC8220, MFC-J200, MFC-L5700DN, MFC-L5750DW, MFC-L6800DW, MFC-L6900DW, MFC-L6950DW, MFC-L6970DW, TN-130BK, TN-130C, TN-130M, TN-130Y, TN-135BK, TN-135C, TN-135M, TN-135Y, TN-2000, TN-2005, TN-3030, TN-3060, TN-4000, TN-4100, TN-5500, TN-6300, TN-6600, TN-7300, TN-7600