

BE AT THE FOREFRONT OF

BUSINESS

WITH HIGH SPEED OUTPUT



THE HL-5450DNT IS THE PROFESSIONAL PRINT PARTNER COMBINING HIGH SPEED OUTPUT WITH ENHANCED PAPER HANDLING TO MEET YOUR BUSINESS REQUIREMENTS

Features to optimise your workflow

- High speed output at up to 38ppm
- First page out in less than 8.5 seconds
- Up to 8,000¹ page high yield toner cartridges
- Standard total paper capacity of 800 sheets
- Ethernet network connectivity
- 1,200 x 1,200 dpi resolution
- Automatic 2-sided printing with booklet feature

THE HIGH PERFORMANCE PRINTER

Regardless of your business size, Brother understands that your business runs on information. The HL-5450DNT is packed with a range of easy-to-use, cost effective output solutions that are designed to deliver outstanding results time after time.

PRODUCTIVE

A first page out time of less than 8.5 seconds and an impressive print speed of up to 38ppm ensures large volume print jobs are handled with ease and deadlines are met.

FLEXIBLE

High volume printing requires professional paper handling. With two lower trays as standard totalling 750 sheets you'll be replenishing paper less frequently. The 50 sheet multipurpose tray offers the flexibility of printing on a range of media types including envelopes and thicker paper.

COST EFFECTIVE

A range of cost saving features including toner save mode and booklet printing allow significant reductions on print costs.
The optional 8,000¹ page high yield toner cartridge together with the separate drum unit means you can be sure of exceedingly low running costs.



PROFESSIONAL

Thanks to the 1,200 x 1,200 dpi print resolution you'll get sharp crisp text and accurate reproduction of even the finest details on the page. With automatic 2-sided and booklet printing as standard you can produce professional reports and presentations and reduce paper consumption by up to 75%.

INTEGRATED

Wired networked connectivity allows seamless integration into existing office infrastructure. PCL6 and PS3 ready, with support for barcode printing as standard enables instant compatibility with business critical systems and applications including SAP.

RELIABLE

Capable of handling up to 3,5000 pages every month with ease, the HL-5450DNT delivers exceptional quality and performance, consistently meeting the needs of the most demanding business environments.

BROTHER'S DEVICE MANAGEMENT SOLUTIONS 🔲

The HL-5450DNT is compatible with a range of utilities for device administration and management:

- **BRAdmin Professional** A device management utility for remotely monitoring and configuring your printer fleet across multiple locations.
- Remotely diagnose user issues and setup automatic email alerts for instant notification of printer downtime enabling you to solve potential problems before they impact on productivity.
- Web Based Management Manage and configure a single device by creating a direct connection through a standard web browser.
- Central Deployment Deployable printer drivers that can be distributed and then automatically installed to multiple computers from one central location.

DATA SECURITY 1

- Business critical data will remain safe and secure thanks to SSL encryption ensuring that information transmitted from computer to printer is encrypted for maximum security.
- Compatible with high level security protocols such as PEAP & MS CHAPv2 enables the HL-5450DNT to connect to the most robust network environments, ensuring that your productivity levels are sustained.



HL-5450DNT Environmentally Friendly Printing

Our commitment to the environment is brought to life with a range of eco friendly features and the attainment of a range of environmental labels and awards:

- Separate Toner & Drum: Less wastage and reduced print costs.
- Toner Save: The Eco feature uses less toner, which can help you to reduce your print spend.
- 2-Sided, N-in1 & Booklet Print: Reduce paper consumption by up to 75% by printing multiple pages onto a single
- Deep Sleep Mode⁵: Consumes less than 1 watt of power when not in use, which is 5 times less energy when compared to the standard ready mode.
- Quiet Mode: Reduces the noise level so the device can be used in intellectual areas as recommended by Blue Angel.

GENERAL

Technology Laser Classification Standard Print Speed (Simplex) 2-Sided Print Speed (Duplex) Warm Up Time First Print Out Time Resolution

Processor Memory Capacity Local Interface Network Interface Print Languages

Embedded Fonts (PCL) Embedded Fonts (PS)

Embedded Barcodes (PCL)

Backlit LCD Display

PAPER HANDLING Paper Input

Paper Output

MEDIA SPECIFICATIONS

Media Types & Sizes Media Weights

Envelope & Label Printing

Windows®

Macintosh Linux

MOBILE PRINTING iPrint&Scan

Google Cloud Print

DRIVER FEATURES

N-up Printing² Poster Printing³ Watermark Printing³

Macro Printing³

ID Printing³

Booklet Printing Quite Mode

Skip Blank Page³

250 + 500 sheet standard paper trays

16 characters x 1 line

Hi-Speed USB2.0

66 scalable fonts

50 sheet multi-purpose tray 150 sheets face down

Electrophotographic laser printer

Up to 38ppm (pages per minute)

Up to 18ipm (images per minute)

Class 1 laser product (IEC 60825-1:2007)

Less than 1 second (from sleep mode)

Less than 8.5 seconds (from ready mode)

FX-850 IBM Proprinter XL, Epson FX-850

66 scalable fonts, 12 bitmap fonts

1,200 x 1,200dpi, HQ1200 (2,400 x 600dpi quality), 600 x 600dpi

64MB (expandable up to 320MB using 1 x 144 pin, 16bit DDR2 DIMM))

Ethernet (10Base-T/100Base-TX)
PCL6, BR-Script3 (Postscript®3™ Language Emulation), IBM Proprinter XL, Epson

Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13,

UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128(set A, set B, set C), EAN128(set A, set B, set C)

1 sheet face up (straight paper path)

Standard Paper Trays - Plain & recycled paper (between 60 - 105 g/m2 (16 - 28 lb)) Multi-Purpose Tray - Plain, recycled & bond paper (between 60 - 163g/m² (16 to 43lb)) Standard / Optional Paper Tray - A4, Letter, B5(ISO/JIS), A5, A5(Long Edge), B6(ISO), A6, Executive, Legal, Folio (A4 only supported in automatic duplex print mode) Multi-Purpose Tray - Width: 76.2mm to 215.9mm (3" to 8.5") x Length:

127mm to 355.6mm (5" to 14")") Yes, from Multi-Purpose (MP) Tray (accuracy & reliability will depend on the quality & type of media used)

SUPPORTED OPERATING SYSTEMS

Windows 7® (32 & 64 bit editions), Windows Vista® (32 & 64 bit editions), Windows® XP Professional (32 & 64 bit editions), Windows® XP Home Edition, Windows® Server 2008R2, Windows® Server 2008 (32 & 64 bit editions), Windows® Server 2003 (32 & 64 bit editions) Mac OS X 10.5.8, 10.6.x, 10.7.x

CUPS, LPD/LPRng (x86/x64 environment)

Print JPG & PDF files from a Microsoft®, Apple® or Android® smart phone / tablet (Microsoft® is JPG only)

Print most common file types from any Google Cloud Print® enabled application



Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages Watermark your documents with predefined text or with your own user-defined messages Create & embed custom templates, for example a company logo, which others text of the contractions of the contractions of the contractions.

detaile a embed custom reinplaces, for examipie a company logid, which automatically prints on all of your printed documents. Add identification to your printed documents. Add identification to your printed documents. Print documents in A5 booklet format using automatic or manual 2-sided print Reduces the noise of the machine whilst printing (a small reduction in print speed also occurs). Ignores any pages blank pages in your documents.

Print the last document that was sent to the machine

NETWORK UTILITIES / PROTOCOLS

Driver Deployment Wizard BRAdmin Professional Print Log to Network E-mail Notifications Protocols

IPv4 Supported Protocols

IPv6 Supported Protocols

A guick & easy way to deploy Brother printer drivers on a networked Windows® PC For LAN / WAN management (Downloadable from http://solutions.brother.com) Records printing activities from individual users

Automatic alerts sen TCP/IP (IPv4 & IPv6) sent via e-mail when the device needs attention, e.g. toner lo

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/ PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2/v3, CMMP, Web Services (Print), CIFS client, SNTP client NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client . S. O. Co, ILLVIET S, FIF Server, IELINET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SMMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client

SECURITY FEATURES

Secure Function Lock v2 Secure Printing with SSL

Security Protocols

802 1x (Wired Network Access Control)

APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3, Kerberos, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TLS) Restrict print activities to selected users and assign optional page limits IPP based encryption, already widely used in e-commerce to protect financial &

sensitive information

IP address based access restriction (IPv4 only)
Supported Protocols - EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS

SUPPLIES / ACCESSORIES

In-hox Toner Standard Toner High Yield Toner

Approx. 3,000 pages¹ TN-3330 - Approx. 3,000 pages¹
TN-3380 - Approx. 8,000 pages¹
DR-3300 - Approx. 30,000 pages (one job per page)



WEIGHTS & DIMENSIONS

664(w) x 503(d) x 671(h) mm / 19.7kg 371(w) x 384(d) x 375(h) mm / 13.6kg Without carton

ENVIRONMENT

Typical Electrical Consumption Power Consumption Sound Pressure Sound Power Power Save Toner Save

1.93kWh / week 700W active, 4.8W ready, 0.5W deep sleep 59dBA active, 54dBA quiet mode, 34dBA ready 6.79BA active, 6.4BA quiet mode, 4.7BA ready Consume less energy when not in use Reduces toner usage







DUTY CYCLE

Recommended Monthly Print Volume

Maximum Monthly Volume

50,000 pages4

500 to 3,500 pages

Declared yield value in accordance with ISO/IEC19752, ²Windows® & Mac only, ³Windows® only, ⁴Maximum number of printed pages per month and can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements





Brother International Europe Ltd

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE Tel:+44(0)161-330 6531 Fax:+44(0)161-330 5520

Website: www.brother.com

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trader arks or trademarks of their respective companie